

2026
edition

GAF

Residential Reference Guide

The one-stop guide from North America's largest roofing manufacturer



GAF shingles and roof accessories are made to work together. They provide a system that's built to protect homes — so the people who live inside them can enjoy what matters most.

GAF

We protect what matters most™

	Pages
Technology Index	5
GAF Lifetime [†] Roofing System LRS	6–7
WindProven [™] Limited Wind Warranty	8–9
Timberline[®] Lifetime[†] Shingles Collection LRS	
Timberline HDZ [®]	12
Timberline UHDZ [®]	13
Timberline [®] NS	13
Designer Lifetime[†] Shingles Collection LRS	
Camelot [®] II	15
Grand Sequoia [®]	15
Slateline [®]	15
Woodland [®]	15
Shingle Specifications	
Warranties and Technologies	16
Shingle Construction	17
GAF Roofing Accessories LRS	
Leak Barriers	19
Roof Deck Protection	20
Starter Strip Shingles	21
Attic Ventilation	22–23
Ridge Cap Shingles	24
Other Residential Products	
Master Flow [™] Rooftop Accessory Products	25
WeatherSide [™] Fiber-Cement Siding & Accessories	26
LIBERTY [™] SBS Self-Adhering Roofing System	27





GAF Timberline[®]HDZ[™]
Timberline[®] HDZ[™] is a premium shingle
with a proven 12-year warranty.
Shingles
Bardeaux

MC

FeltBuster[®]
Synthetic Roofing Felt

Beauty,
performance,
and peace
of mind



Technology Index



Get a Lifetime[†] Limited Warranty: Install any GAF Lifetime[†] shingle and at least 3 qualifying GAF accessories and get a Lifetime[†] Limited Warranty on your qualifying GAF products.



Dura Grip™ Adhesive: Helps protect your roof investment from winds and wind-driven rain.



25-year StainGuard Plus™ or 30-year StainGuard Plus PRO™ Algae Protection Limited Warranties:¹ Comes with protection against blue-green algae discoloration, as indicated, thanks to GAF time-release algae-fighting technology that releases copper over time for long-lasting algae-fighting power.



StainGuard® Algae Protection:¹ A 10-year limited warranty against blue-green algae discoloration.



LayerLock® Technology: A proprietary technology that mechanically fuses the common bond between overlapping shingle layers.



WindProven™ Limited Wind Warranty:² A 15-year limited wind warranty with no maximum wind speed limitation — available when you install the LayerLock®-labeled shingles as well as GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation.



UltraMat™ Technology: High-performance fiberglass mat technology enhances the shingle at its core and achieves UL 2218 Class 4 impact-resistance rating.³



Dual Shadow Line: Patented granule technology and unique colour blends for sunset shadows all day long.

[†] Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products.

¹ 10-year StainGuard™, 15-year StainGuard Plus™, and 30-year StainGuard Plus PRO™ Algae Protection Limited Warranties (as indicated) against blue-green algae discoloration are available only on products sold in packages bearing the StainGuard™, StainGuard Plus™, or StainGuard Plus PRO™ logos. See *GAF Shingle & Accessory Limited Warranty* for complete coverage restrictions.

² 15-year WindProven™ Limited Wind Warranty covers GAF shingles with LayerLock® Technology only and requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See *GAF Roofing System Limited Warranty* for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products. For installations not eligible for the WindProven™ Limited Wind Warranty, see *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.

³ Only products sold in packages bearing the UL2218 Class 4 PRI Validation Program statement are rated for Class 4 impact resistance. Testing performed under controlled laboratory conditions by Certerra Analytical - PRI. GAF makes no express or implied warranty about the impact performance of these products against hail. Hail damage is not covered under the limited warranty. See *GAF Shingle and Accessory Limited Warranty* available at gaf.ca/warranties for complete coverage and restrictions.

Choose a system built to protect

Much more than high-quality shingles, the GAF residential roofing system has multiple layers that work together to provide durable, weather-resistant protection.


Install any GAF Lifetime[†] shingle and any 3 qualifying GAF accessories and get a Lifetime[†] Limited Warranty on your qualifying GAF products plus non-prorated coverage for the first 10 years.

For even stronger coverage, ask your GAF factory-certified contractor¹ about enhanced GAF warranties.


Visit gaf.ca/LRS for a list of qualifying products.

Rooftop Accessories

Specialty accessories engineered to help keep the system dry, strong, and looking its best



[†] Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime shingle and at least 3 qualifying GAF accessories. See the *GAF Roofing System Limited Warranty* for complete coverage and restrictions. For installations not eligible for the *GAF Roofing System Limited Warranty*, see the *GAF Shingle & Accessory Limited Warranty*. Visit gaf.ca/LRS for qualifying GAF products.



Ridge Cap Shingles

Helps defend against leaks at the hips and ridges

Attic Ventilation

Helps reduce attic moisture and heat

Lifetime⁺ Shingles

Helps beautify and protect for years to come

Starter Strip Shingles

Helps guard against shingle blow-offs

Roof Deck Protection

Helps shield the roof deck from moisture infiltration

Leak Barrier

Helps prevent leaks caused by wind-driven rain and ice dams

Visit gaf.ca/System to learn about the GAF Roofing System



¹ Contractors enrolled in GAF certification programs are not employees or agents of GAF, and GAF does not control or otherwise supervise these independent businesses. Contractors may receive benefits, such as loyalty rewards points and discounts on marketing tools from GAF for participating in the program and offering GAF enhanced warranties, which require the use of a minimum amount of GAF products. Your dealings with a Contractor, and any services they provide to you, are subject to the *Contractor Terms of Use*. Visit gaf.ca/gaf-contractor-terms-of-use for details.



WindProven™ Limited Wind Warranty

- **No max wind speed limitation:¹**

Where other wind warranties have a maximum wind speed limit, the WindProven™ Limited Wind Warranty does not. This means your shingles are covered no matter how hard the wind blows.

- **No cost or registration required**

- **No storm clause:**

Other wind warranties may have a “named storm clause,” limiting coverage on hurricanes and tropical storms officially recognized by the World Meteorological Organization. The GAF WindProven™ Limited Wind Warranty does not have a named storm clause, ensuring wind coverage that weathers the storm.

Visit gaf.ca/WindProven to learn about infinite wind speed protection.¹

¹ 15-year WindProven™ Limited Wind Warranty covers GAF shingles with LayerLock® Technology only and requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See *GAF Roofing System Limited Warranty* for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products. For installations not eligible for the WindProven™ Limited Wind Warranty, see *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.

Eligibility requirements:

Choose one from each category

Ridge Cap Shingles

GAF Shingles

with LayerLock® Technology

Roof Deck Protection

Starter Strip Shingles

Choose from either category

Attic Ventilation

Cobra® Attic Vents or Master Flow™ Attic Exhaust Vents

or

Leak Barrier


GAF Shingles	Starter Strip Shingles	Roof Deck Protection	Ridge Cap Shingles
Timberline HDZ®	Pro-Start®	Deck-Armor™	TimberTex®
Timberline UHDZ®	QuickStart®	FeltBuster®	TimberCrest®
	WeatherBlocker™	Shingle-Mate™	Seal-A-Ridge® AS
		Tiger Paw™	Seal-A-Ridge®
		VersaShield®	

Leak Barrier	Attic Ventilation
StormGuard®	Cobra® Exhaust Vent
WeatherWatch®	Cobra® Hip Vent
	Cobra IntakePro®
	Cobra® RidgeRunner®
	Cobra® SnowCountry® Advanced
	Master Flow™ Roof Louvers ²
	Master Flow™ Power Attic Vents — Roof or Gable Mount ²
	Master Flow EZ Cool™ Plug-in Power Attic Vents — Roof or Gable Mount ²
	Master Flow™ GreenMachine™ Solar or Dual-Powered Roof or Gable Vents ²
	Master Flow™ Wi-Fi Attic Vents — Roof or Gable Mount ²
	Master Flow™ High-Capacity Dome Vent ²
	Master Flow™ Wind Turbines ²
	Master Flow™ Aluminum Ridge Vent ²

² GAF Master Flow™ Attic Ventilation Products are not covered by the GAF Roofing System Limited Warranty. Please visit gaf.ca for copies of the limited warranties covering these products.

Timberline® Lifetime[†] Shingles Collection

More homeowners in North America rely on Timberline® shingles than any other brand. They offer just the right combination of beauty, performance, and reliability.



							
 Timberline HDZ® GAF's #1-selling shingle represents a legacy of relentless innovation	✓	✓				✓	
 Timberline UHDZ® For a highly dimensional wood-shake look in an asphalt shingle	✓	✓	✓	✓	✓		
 Timberline® NS The beauty of natural wood shakes in an asphalt shingle							✓

For the full collection visit gaf.ca/Timberline

[†] Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence (or eligible second owner(s)) owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products.

¹ 15-year WindProven™ Limited Wind Warranty covers GAF shingles with LayerLock® Technology only and requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See *GAF Roofing System Limited Warranty* for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products. For installations not eligible for the WindProven™ Limited Wind Warranty, see *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.

² 10-year StainGuard™, 15-year StainGuard Plus™, and 30-year StainGuard Plus PRO™ Algae Protection Limited Warranties (as indicated) against blue-green algae discoloration are available only on products sold in packages bearing the StainGuard™, StainGuard Plus™, or StainGuard Plus PRO™ logos. See *GAF Shingle & Accessory Limited Warranty* for complete coverage restrictions.



Timberline HDZ® Colour Availability




High Definition® Colours


British Columbia

Central Canada

Eastern Canada

High Definition® Colours		British Columbia	Central Canada	Eastern Canada
Barkwood		✓	✓	✓
Charcoal		✓	✓	✓
Hickory		✓	✓	✓
Hunter Green			✓	✓
Mission Brown		✓	✓	✓
Pewter Gray		✓	✓	✓
Shakewood		✓	✓	✓
Slate		✓	✓	✓
Weathered Wood		✓	✓	✓
Birchwood*		✓	✓	✓
Canadian Driftwood		✓	✓	✓

Timberline HDZ® Shingles represent a legacy of relentless innovation — delivering peak performance and dependability with UL 2218 Class 3 Impact Resistance.¹



Visit gaf.ca/HDZ to learn more about our #1 shingle

¹ Only products sold in packages bearing the UL2218 Class 3 PRI Validation Program statement are rated for Class 3 impact resistance. Testing performed under controlled laboratory conditions by Certerra Analytical - PRI. GAF makes no express or implied warranty about the impact performance of these products against hail. Hail damage is not covered under the limited warranty. See *GAF Shingle and Accessory Limited Warranty* available at gaf.ca/warranties for complete coverage and restrictions.

GAF **Timberline UHDZ®**
Ultra High Definition® Lifetime[†] Shingles


Timberline UHDZ® Shingles feature a Dual Shadow Line for dramatic sunset shadows, UltraMat™ technology for a UL 2218 Class 4 impact-resistance rating,² and a 30-year StainGuard Plus PRO™ Limited Warranty.³



For more details visit gaf.ca/UHDZ

GAF **Timberline NS®**
Natural Shadow® Lifetime[†] Shingles

These stylish yet practically priced architectural shingles provide value and performance with a classic shadow effect.



For more details visit gaf.ca/NS


² Only products sold in packages bearing the UL2218 Class 4 PRI Validation Program statement are rated for Class 4 impact resistance. Testing performed under controlled laboratory conditions by Certerra Analytical - PRI. GAF makes no express or implied warranty about the impact performance of these products against hail. Hail damage is not covered under the limited warranty. See *GAF Shingle and Accessory Limited Warranty* available at gaf.ca/warranties for complete coverage and restrictions.

³ 30-year StainGuard Plus PRO™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus PRO™ logo. See *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.

NOTE: It is difficult to reproduce the colour clarity and actual colour blends of these products. Before selecting your colour, please ask to see several full-size shingles.

Designer Lifetime[†] Shingles Collection

Sophisticated designs, custom colour palettes, and high-density shingles able to pass the UL 2218 Class 4 Impact-Resistance Test.¹ GAF Lifetime[†] Designer shingles are only a fraction of the cost of traditional slate or wood shakes.



Camelot[®] II

Contemporary slate-inspired elegance in an asphalt shingle



Grand Sequoia[®]

Rustic charm meets 21st-century style



Slateline[®]

An asphalt shingle with the dramatic look of slate



Woodland[®]

The beauty of natural wood shakes in an asphalt shingle



For the full collection visit gaf.ca/Designer

[†] Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products.

¹ Only products sold in packages bearing the UL2218 Class 4 PRI Validation Program statement are rated for Class 4 impact resistance. Testing performed under controlled laboratory conditions by Certerra Analytical - PRI. GAF makes no express or implied warranty about the impact performance of these products against hail. Hail damage is not covered under the limited warranty. See GAF Shingle and Accessory Limited Warranty available at gaf.ca/warranties for complete coverage and restrictions.

² 25-year StainGuard Plus[™] Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus[™] logo. See GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions.




GAF Camelot® II
Designer Lifetime® Shingles



For more details visit gaf.ca/CamelotII

GAF GrandSequoia®
Designer Lifetime® Shingles



For more details visit gaf.ca/GrandSequoia

GAF Slateline®
Designer Lifetime® Shingles



For more details visit gaf.ca/Slateline

GAF Woodland®
Designer Lifetime® Shingles




For more details visit gaf.ca/Woodland

Shingle Specifications

Shingle	Warranty					Technology			
									
Timberline® Lifetime[†] Shingles Collection									
Timberline HDZ®	✓	✓		✓		✓			
Timberline UHDZ®	✓	✓	✓			✓	✓	✓	
Timberline® NS	✓				✓				
Designer Lifetime[†] Shingles Collection									
Grand Sequoia®	✓			✓					
Woodland®	✓			✓					
Camelot® II	✓			✓					
Slateline®	✓			✓					

[†] Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime shingle and at least 3 qualifying GAF accessories. See the *GAF Roofing System Limited Warranty* for complete coverage and restrictions. For installations not eligible for the *GAF Roofing System Limited Warranty*, see the *GAF Shingle & Accessory Limited Warranty*. Visit gaf.ca/LRS for qualifying GAF products.

¹ 15-year WindProven™ Limited Wind Warranty covers GAF shingles with LayerLock® Technology only and requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See *GAF Roofing System Limited Warranty* for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products. For installations not eligible for the WindProven™ Limited Wind Warranty, see *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.

Shingle Construction	Approximate Physical Attributes					Codes								Special Features		
	Pieces/Squares	Bundles/Squares	Nails/Squares ³	Exposure	Dimensions	Fire	Wind		National			Regional		UL 2218 Class 3	UL 2218 Class 4	Cool Roof Rating Council (CRRC) Rated
						UL Listed to ANSI/UL 790 Class A	ASTM D7158 Class H	ASTM D3161 Class F	ASTM D3018 Type 1	ASTM D3462 ⁴	Classified in accordance with ICC-ES AC438	CSA A123.5 ⁵	ICC-ES ESR-1475	ICC-ES ESR-3267		
	64	3	256	5 5/8" (143 mm)	13 1/4" x 39 3/8" (337 x 1,000 mm)	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓ ⁶
	64	3	256	5 5/8" (143 mm)	13 1/4" x 39 3/8" (337 x 1,000 mm)	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
	64	3	256	5 5/8" (143 mm)	13 1/4" x 39 3/8" (337 x 1,000 mm)	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	72	5	360	5" (127 mm)	17" x 40" (432 x 1,016 mm)	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
	56	4	280	6 1/2" (165 mm)	17" x 40" (432 x 1,016 mm)	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
	56	4	280	7 1/2" (191 mm)	17" x 34 1/2" (432 x 876 mm)	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
	48	3	288	7 1/2" (191 mm)	17" x 40" (432 x 1,016 mm)	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓

² 10-year StainGuard™, 25-year StainGuard Plus™, and 30-year StainGuard Plus PRO™ Algae Protection Limited Warranties (as indicated) against blue-green algae discoloration are available only on products sold in packages bearing the StainGuard™, StainGuard Plus™, or StainGuard Plus PRO™ logos. See *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.

³ Steeper slopes and maximum wind warranties may require more nails.


⁴ Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture.

⁵ CSA A123.5 applies only to shingles sold in Canada.

⁶ Applies to Birchwood only.

Roofing Accessories

Install any GAF Lifetime[†] shingle and at least 3 qualifying GAF accessories and you'll get a Lifetime[†] Limited Warranty on your qualifying GAF products.



Leak Barriers

Helps prevent leaks caused by wind-driven rain and ice dams



Roof Deck Protection

Helps shield the roof deck from moisture infiltration



Starter Strip Shingles

Helps guard against shingle blow-offs at the eaves and rakes



Attic Ventilation

Helps reduce excessive attic heat and moisture



Ridge Cap Shingles

Helps defend against leaks at the hips and ridges



Visit gaf.ca/LRS for a list of qualifying products.


[†] Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime shingle and at least 3 qualifying GAF accessories. See the *GAF Roofing System Limited Warranty* for complete coverage and restrictions. For installations not eligible for the *GAF Roofing System Limited Warranty*, see the *GAF Shingle & Accessory Limited Warranty*. Visit gaf.ca/LRS for qualifying GAF products.

¹ 15-year WindProven[™] Limited Wind Warranty covers GAF shingles with LayerLock[®] Technology only and requires the use of GAF starter strips, roof deck protection, ridge cap shingles, and leak barrier or attic ventilation. See *GAF Roofing System Limited Warranty* for complete coverage and restrictions. Visit gaf.ca/LRS for qualifying GAF products. For installations not eligible for the WindProven[™] Limited Wind Warranty, see *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.



Leak Barriers

Helps prevent leaks caused by wind-driven rain and ice dams.



StormGuard®





- Patterned synthetic film-surfaced peel-&stick underlayment for asphalt shingles & metal roofing
- Self-seal fasteners, helps protect vulnerable areas of the roof
- 250°F high-temperature design, meets or exceeds the performance criteria of ASTM D1970
- 2 Sq. (200 ft.² [18.58 m²]) roll size — excludes laps
- ANSI/UL790 Class A Roofing Fire Rating²

WeatherWatch®



- Mineral-surfaced peel-&stick underlayment for asphalt shingles
- Self-seal fasteners, helps protect vulnerable areas of the roof
- Meets or exceeds the performance criteria of ASTM D1970
- 2 Sq. (200 ft.² [18.58 m²]) & 1.5 Sq. (150 ft.² [13.94 m²]) roll sizes — excludes laps
- ANSI/UL790 Class A Roofing Fire Rating²

For the full collection visit gaf.ca/LeakBarriers



Strongly recommended

1. Penetrations
2. Skylights
3. Valleys & dormers
4. Flashings & transitions

Optional

5. Hips & rake edges
6. Ridges

Required by code¹

7. Eaves in colder zones
Recommended in warmer zones

Region¹

- A. Colder zone
- B. Warmer zone


¹ Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime shingle and at least 3 qualifying GAF accessories. See the *GAF Roofing System Limited Warranty* for complete coverage and restrictions. For installations not eligible for the *GAF Roofing System Limited Warranty*, see the *GAF Shingle & Accessory Limited Warranty*. Visit gaf.ca/LRS for qualifying GAF products.


¹ Always check local building codes for requirements in your area.

² When used with Class A shingles. Refer to UL Product iQ for actual assemblies.

Roof Deck Protection

Helps shield the roof deck from moisture infiltration.



Deck-Armor™ 	✓	▪ Premium breathable synthetic underlayment for asphalt shingles & other roof systems ▪ Nom. 16 perms,¹ high-traction surface & tear-resistant construction ▪ 48" x 250' (1.22 m x 76.2 m); 10 Sq. (1,000 ft.² [92.9 m²]) roll size — excludes laps ▪ ANSI/UL790 Class A Roofing Fire Rating²
Tiger Paw™ 	✓	▪ Premium synthetic underlayment for asphalt shingles & other roof systems ▪ High-traction surface, tear-resistant construction & deck side coating provides moisture control ▪ 48" x 250' (1.22 m x 76.2 m); 10 Sq. (1,000 ft.² [92.9 m²]) roll size — excludes laps ▪ ANSI/UL790 Class A Roofing Fire Rating²
FeltBuster® 	✓	▪ High-traction synthetic underlayment for asphalt shingles ▪ Value-priced, high-traction surface & tear-resistant construction ▪ 48" x 250' (1.22 m x 76.2 m); 10 Sq. (1,000 ft.² [92.9 m²]) roll size — excludes laps ▪ ANSI/UL790 Class A Roofing Fire Rating²
Shingle-Mate™ 	✓	▪ Fiberglass-reinforced underlayment for asphalt shingles ▪ Fiberglass reinforcement lays flat & helps prevent telegraphing through shingles ▪ 36" x 144' (.914 m x 43.89 m); 4 Sq. (432 ft.² [40.13 m²]) roll size — excludes laps ▪ ANSI/UL790 Class A Roofing Fire Rating²
Specialty Underlayment		
VersaShield® 	✓	▪ Fiberglass-reinforced fire-resistant underlayment for asphalt shingles, metal, wood & other roof systems ▪ Helps upgrade the UL Fire Rating of many roofing systems (always see the UL Certification Directory) & helps resist dangerous flame spread ▪ 42" x 100' (1.07 m x 30.48 m); 3.5 Sq. (350 ft.² [32.5 m²]) roll size — excludes laps

For the full collection visit gaf.ca/RoofDeckProtection


¹ Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime shingle and at least 3 qualifying GAF accessories. See the *GAF Roofing System Limited Warranty* for complete coverage and restrictions. For installations not eligible for the *GAF Roofing System Limited Warranty*, see the *GAF Shingle & Accessory Limited Warranty*. Visit gaf.ca/LRS for qualifying GAF products.

¹ Nominal MVTR perms value as measured by GAF on Mocon unit @ 82°F (28°C) and 50% R.H.

² When used with Class A shingles. Refer to UL Product iQ for actual assemblies.

Starter Strip Shingles

Helps guard against shingle blow-offs at the eaves and rakes.



Weather Blocker™ 	✓		▪ Premium starter strip shingles specifically designed to be compatible with all asphalt shingles ▪ Extra-wide format, pre-perforated design & high-quality factory-applied Dura Grip™ Adhesive ▪ Full sheets measure 17" x 40" (432 mm x 1,016 mm) & cover 50 lin. ft. (15 lm) per bundle, half sheets measure 8 ½" x 40" (216 mm x 1,016 mm) & cover 100 lin. ft. (31 lm) per bundle
Pro-Start® 	✓		▪ Cost-effective starter strip shingles for most standard English & metric-sized asphalt shingles ▪ Pre-perforated design with high-quality factory-applied Dura Grip™ Adhesive ▪ Full sheets measure 13" x 38" (330 mm x 965 mm) & are split into half sheets measuring 6 ½" x 38" (165 x 965 mm) to cover 120.33 lin. ft. (36.69 lm) per bundle
Quick Start® 	✓		▪ Peel-&stick starter strip roll for most standard English & metric-sized asphalt shingles ▪ Mineral surfacing with high-quality, factory-applied Dura Grip™ Adhesive ▪ 9" x 33' (228 mm x 10 m) roll size
Starter Match® 	✓	✓	▪ Complementary-colour starter strip shingles for Grand Sequoia® shingles ▪ 25-year StainGuard Plus™ Algae Protection™ Limited Warranty protects StarterMatch® Starter Strip Shingles from unsightly stains¹ ▪ Used in conjunction with WeatherBlocker™ Premium Starter Strip Shingles ▪ Full sheets measure 13 ¼" x 40" (337 mm x 1,016 mm) & cover 60 lin. ft. (18.3 lm) per bundle


For the full collection visit gaf.ca/StarterStrip

¹ Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime Shingle and at least 3 qualifying GAF accessories. See the *GAF Roofing System Limited Warranty* for complete coverage and restrictions. For installations not eligible for the *GAF Roofing System Limited Warranty*, see the *GAF Shingle & Accessory Limited Warranty*. Visit gaf.ca/LRS for qualifying GAF products.

¹ 25-year StainGuard Plus™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus™ logo. See *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.

Attic Ventilation

Helps reduce excessive attic heat, moisture, ice dams, and premature roof system degradation.



Cobra® Exhaust Vent



- Mesh roll ridge vent for all climates
- 10 ½" (267 mm), 8" (203 mm) & 11 ¾" (298 mm) widths; 20' (6.1 m) & 50' (15.24 m) lengths
- Includes 2 ½" (64 mm) Smart Nails™ (hand nailable) or 1 ¾" (44 mm) coil nails (nail gunnable)
- NFA: hand nailable — 16.9 sq. in./lin. ft. (35,772 mm² per linear meter); nail gunnable — 14.1 sq. in./lin. ft. (29,845 mm² per linear meter)

Cobra® Snow Country® Advanced



- Premium filtered plastic ridge vent for colder climates
- Includes 3" (76 mm) ring shank nails, Snow Guard™ Filter & 3" (76 mm) EasyTear® sizing
- 11 ½" (292 mm) and 9" (229 mm) widths; 4' (1.2 m) length, 40 lin. ft. (12.2 lm) per box
- NFA: 18 sq. in./lin. ft. (38,100 mm² per linear meter)

Cobra® Ridge Runner®



- Plastic roll ridge vent for all climates
- Includes 1 ¾" (44 mm) ring shank coil nails, Weather Fighter® Filter & 12" (305 mm) EasyTear® sizing
- 11 ½" (292 mm) width; 30' (9.1 m) length
- NFA: 12.5 sq. in./lin. ft. (26,458 mm² per linear meter)

Cobra® Hip Vent



- Plastic hip vent for all climates
- Includes 1 ¾" (44 mm) ring shank coil nails & Dual Weather Fighter® Filter
- 11 ½" (292 mm) width; 4' (1.2 m) length, 40 lin. ft. (12.2 lm) per box
- NFA: 9 sq. in./lin. ft. (19,050 mm² per linear meter)

Rooftop Intake Ventilation

Cobra IntakePro®




- Tapered roll intake vent for all climates
- Includes 1 ¾" (44 mm) coil nails and end cap fabric
- 11" (279 mm) width; 20' (6.1 m) length
- NFA: 9 sq. in./lin. ft. (19,050 mm² per linear meter)
- 1. See photo for product placement



For more details visit gaf.ca/Ventilation

* Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime shingle and at least 3 qualifying GAF accessories. See the *GAF Roofing System Limited Warranty* for complete coverage and restrictions. For installations not eligible for the *GAF Roofing System Limited Warranty*, see the *GAF Shingle & Accessory Limited Warranty*. Visit gaf.ca/LRS for qualifying GAF products.




Roof mount power attic vents



- Exhaust large amounts of heat & moisture from the attic
- Hardwired electric or EZ Cool™ plug-in options
- High-efficiency PSC motors
- Thermostat control included on all models, optional combination humidistat/thermostat control available on select models
- Available with optional QuickConnect™ Wi-Fi technology
- Available in popular colours to complement most finished roofs

Solar-powered vents



- Help reduce electricity costs associated with operating a fully electric powered vent²
- Available in both solar-powered & unique dual-powered models
- Solar-powered models run off the sun's power, while dual-powered models switch automatically between sun & house power
- Thermostat or combo humidistat/thermostat control available on select models

Roof louvers



- Allow heat & moisture to escape the attic on roofs with limited ridge
- Styles: slant-back, square-top, dome
- Construction: aluminum, galvanized & plastic (models with optional weather/ember-resistant screen³ also available)
- NFA per vent: Options from 37–144 sq. in. (23,871–92,903 mm²)

Aluminum ridge vent



- Allow heat & moisture to escape the attic
- Construction: aluminum with built-in baffle
- NFA per vent: 21.5 sq. in. per lin. ft. (45,508 mm² per linear meter)

Wind turbines



- Use wind power to pull heat & moisture from the attic
- Sizes: 12" (305 mm) & 14" (356 mm)
- Construction: aluminum internally braced, galvanized internally or externally braced

Undereave Intake Ventilation

Soffit/undereave intake vents



- Allow cooler dry air to enter the attic
- Styles: continuous, oval, rectangular, EmberShield® closeable³
- NFA per vent: Options from 22–68 sq. in. (14,194–43,871 mm²)

For the full collection visit gaf.ca/Ventilation

¹ While Master Flow™ Attic Ventilation Products are not eligible for Lifetime Limited Warranty coverage under the GAF Roofing System Limited Warranty, they are covered separately by the Master Flow™ Powered Ventilation Products Limited Warranty, Master Flow™ Ventilation Products Limited Warranty, or Master Flow™ Wi-Fi Attic Vent Limited Warranty, depending on product.


² Energy cost savings are not guaranteed and the amount of savings may vary based on climate zone, utility rates, radiative properties of roofing products, insulation levels, HVAC equipment efficiency, and other factors.

³ GAF makes no express or implied warranty about the fire performance of this product against Wildfire Exposure. Fire damage is not covered under the limited warranty. Please see the GAF Master Flow™ Ventilation Products Limited Warranty for complete coverage and restrictions.

NOTE: Always have a balanced attic ventilation system. In no case should the amount of exhaust ventilation at or near the ridge exceed the amount of intake ventilation at or near the soffit. Visit gaf.ca/ventcalculator for more details.

Ridge Cap Shingles

Helps defend against leaks at the hips and ridges.



Timber Tex®		✓		✓	- Premium double-layer ridge cap shingles for Timberline HDZ®, NS, UHDZ®, ArmorShield™ & Lifetime† Designer Shingles. - UltraMat™ fiberglass mat reinforces the ridge cap at its core - Pre-perforated design & factory-applied Dura Grip™ Adhesive 12" (305 mm) width 8" (203 mm) exposure, 20 lin. ft. (6.1 lm) per bundle. - Passes UL 2218 Impact-Resistance Test with Class 4 rating² - Available in all areas (except West area)
Timber Crest®		✓	✓	✓	- Premium SBS-modified bullnose ridge cap shingles for Timberline HDZ®, NS, UHDZ®, HDZ® RS, ArmorShield™ & Lifetime† Designer Shingles - Pre-folded design & factory-applied Dura Grip™ Adhesive - Passes UL 2218 Impact-Resistance Test with Class 4 rating² 10" (254 mm) width, 8" (203 mm) exposure, 20 lin. ft. (6.1 lm) per box. - Available in the West and Southwest areas
Seal-A-Ridge® AS		✓	✓	✓	- Traditional-look SBS-modified ridge cap shingles for ArmorShield™ & Timberline UHDZ® Shingles - Pre-perforated design & factory-applied Dura Grip™ Adhesive - Passes UL 2218 Impact-Resistance Test with Class 4 rating² 12" (305 mm) width, 5" (127 mm) exposure, covers 25 lin. ft. (7.6 lm) per bundle. - Available in all areas
Seal-A-Ridge®		✓		✓	- Traditional-look ridge cap shingles for Timberline HDZ®, NS & UHDZ® Shingles - Pre-perforated design & factory-applied Dura Grip™ Adhesive 12" (305 mm) width, 6 2/3" (169 mm) exposure, covers 25 lin. ft. (7.6 lm) per bundle. - Passes UL 2218 Impact-Resistance Test with Class 3 rating² - Available in all areas

For more details visit gaf.ca/RidgeCaps

[†] Lifetime refers to the length of warranty coverage provided and means as long as the original individual owner(s) of a single-family detached residence [or eligible second owner(s)] owns the property where the qualifying GAF products are installed. For other owners/structures, Lifetime coverage is not applicable. Lifetime coverage on shingles requires the use of GAF Lifetime shingles only. See the *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions. Lifetime coverage on shingles and accessories requires the use of any GAF Lifetime shingle and at least 3 qualifying GAF accessories. See the *GAF Roofing System Limited Warranty* for complete coverage and restrictions. For installations not eligible for the *GAF Roofing System Limited Warranty*, see the *GAF Shingle & Accessory Limited Warranty*. Visit gaf.ca/LRS for qualifying GAF products.


¹ 25-year StainGuard Plus™ Algae Protection Limited Warranty against blue-green algae discoloration is available only on products sold in packages bearing the StainGuard Plus™ logo. See *GAF Shingle & Accessory Limited Warranty* for complete coverage and restrictions.

² Only products sold in packages bearing the UL2218 Class 3 PRI Validation Program statement are rated for Class 3 impact resistance. Testing performed under controlled laboratory conditions by Certerra Analytical - PRI. GAF makes no express or implied warranty about the impact performance of these products against hail. Hail damage is not covered under the limited warranty. See *GAF Shingle and Accessory Limited Warranty* available at gaf.ca/warranties for complete coverage and restrictions.

NOTE: These products are not available in all areas. Visit gaf.ca/ridgecapavailability for more information.

Master Flow™ Rooftop Accessory Products

Specialty roofing accessories designed to enhance the performance of your roof and keep it dry, strong, and looking its best.



Pivot™ Pipe Boot Flashing



- Premium, galvanized steel upgrade for commodity pipe boot flashings & collars
- Leak-resistant solution with an all-metal exterior and no exposed seals, gaskets, collars, or caulk
- Rooftop pitch adjustment 3:12 – 12:12
- Sizes: 1.5" (38.1 mm), 2" (50.8 mm), 3" (76.2 mm) & 4" (101.6 mm) for Schedule 40 pipe ID opening sizes
- Colours: Weathered Wood, Black, Brown, Gray
- Passes TAS 100(A) wind-driven rain testing and the UL 2218 Class 4 Impact-Resistance Test²
- Warrantied against leaks for up to 50 years (or as long as the warranty on the adjacent roof cladding)¹

Bath & Dryer Rooftop Appliance Vent



- Premium, all-metal, leak-resistant solution for exhausting bath fans, dryers & other appliances through the roof.
- Compatible for 4" & 3" round ducts (reducer included)
- Colours: Weathered Wood, Black, Brown, Gray
- Roof Slopes: 3:12 – 18:12
- NFA: 12.5 sq. in./lin. ft. (26,458 mm² per linear meter)
- Passes TAS 100(A) 110 mph wind-driven rain testing and the UL 2218 Class 4 Impact-Resistance Test²
- Warrantied against manufacturing defects for up to 50 years (or as long as the warranty on the adjacent roof cladding)¹

Versa Cap Adjustable Pipe Cap



- Adjustable, aluminum pipe cap for rooftop flues, hot stacks & B-vent installations
- Adjustable clamp for easy installation
- Positive draft reduces risk of clogging
- Sizes: Options for pipe ODs of 2 7/8" – 10 7/8" (200 mm – 276 mm)

Goose Neck Vents



- All-metal bath & dryer vent design that integrates with your residential roofing system
- Includes damper and heavy-duty removable screen
- Available in galvanized (black) and aluminum (mill)

Chimney Caps



- Galvanized steel caps protect masonry chimneys against weather infiltration, downdrafts, clogging & animal infestation
- Sizes: large adjustable, small adjustable & fixed-sizes: 9" x 9", 9" x 13", 13" x 13" (229 mm x 229 mm, 229 mm x 330 mm, 330 mm x 330 mm)

Zinc Moss & Mildew Preventer



- Helps resist moss & mildew build-up on steep-slope roofs
- For use with asphalt, tile & wood roofs
- Size: 2 2/3" x 50' (144 mm x 15 m) coils

Other Rooftop Accessories



- Storm collars, vent caps, all purpose vents, roof jacks & other flashings

For the full collection visit gaf.ca/RooftopAccessories

¹ See Master Flow™ Pivot™ Pipe Boot Flashing Limited Warranty or Master Flow™ Ventilation Products Limited Warranty, depending on the product, for complete coverage and restrictions.

² Only products sold in packages bearing the UL2218 Class 4 PRI Validation Program statement are rated for Class 4 impact resistance. Testing performed under controlled laboratory conditions by Certerra Analytical - PRI. GAF makes no express or implied warranty about the impact performance of these products against hail. Hail damage is not covered under the limited warranty. See GAF Shingle and Accessory Limited Warranty available at gaf.ca/warranties for complete coverage and restrictions.

WeatherSide™ Fiber-Cement Siding

The one and only solution for replacing
old asbestos siding shingles.

Siding Shingles — contains NO asbestos¹

Purity™ Shingle		Textured surface with straight, wavy, or thatched edge	▪ Size: 12" x 24" (305 mm x 609 mm) ▪ Exposure: straight & wavy 11" (279 mm), thatched 10 ½" (267 mm)
Profile Shingle		Striated surface with straight edge	▪ Size: 9" x 32" (227 mm x 813 mm) ▪ Exposure: 8" (203 mm)
			▪ Size: 12" x 24" (305 mm x 609 mm) ▪ Exposure: 11" (279 mm)
			▪ Size: 14 ⅝" x 32" (371 mm x 813 mm) ▪ Exposure: 13 ⅝" (346 mm)
Emphasis™ Shingle		Extra-thick wood grain look surface with thatched edge	▪ Size: 14 ⅝" x 25 ⅝" (371 mm x 639 mm) ▪ Exposure: 13" (330 mm)


Accessories

Siding Backer Strips		Helps protect the vertical seams between each piece of siding against weather infiltration	▪ 9" (227 mm) ▪ 12" (305 mm) ▪ 14" (357 mm)
Hot-dipped Galvanized Siding Nails		Helps provide maximum holding power & an excellent finished look	▪ White, ring-shank nails ▪ 1 ¾" (44 mm)
Pre-primed Individual Corners		Completes the outside corners of your WeatherSide™ siding job	▪ 9" (227 mm) ▪ 12" (305 mm) ▪ 14" (357 mm) ▪ Emphasis™ corners

Visit gaf.ca/WeatherSide

LIBERTY™ SBS Self-Adhering Roofing System

Helps protect your low-slope roof when installing a granulated self-adhering roofing system. Installs quickly and easily without the hassles of bulky equipment, unpleasant odors, torches, or open flames on your roof. Perfect for porches, garages, car ports, and sheds.

LIBERTY™ Flashing Cement		▪ A cold-applied bonding agent for SBS-modified asphalt roof systems ▪ 1 Gallon (3.79L) ▪ Meets or exceeds ASTM D4586 Type 1 ▪ Meets or exceeds ASTM D3409
LIBERTY™ Asphalt Primer		▪ A general-purpose foundation coating for all types of asphalt-based roofing materials ▪ 1 Gallon (3.79L) ▪ Meets or exceeds ASTM D41
LIBERTY™ Self-Adhering Base/Ply Sheet		▪ Reinforced with a fiberglass mat, coated in a polymer-modified asphalt ▪ 2 square (216 sq. ft. [20.1 m²]) roll size — excludes laps ▪ Meets or exceeds ASTM D4601 Type II & ASTM D1970 ▪ Paired with the Cap Sheet, the complete, 2-Ply System passes UL 2218A Class 4 impact-resistance testing¹
LIBERTY™ Self-Adhering Cap Sheet		▪ An SBS-modified granule-surfaced roofing membrane ▪ 1 square (112 sq. ft. [10.4 m²]) roll size — excludes laps ▪ Meets or exceeds ASTM D6164 Type 1, Grade G ▪ Paired with the Base/Ply Sheet, the complete, 2-Ply System passes UL 2218A Class 4 impact-resistance testing¹

LIBERTY™ Cap Sheet Colours²:



For the full collection visit gaf.ca/Liberty

¹ UL2218A Class 4 impact resistance refers to complete 2-ply LIBERTY™ SBS Self-Adhering Roofing System. GAF warranties do not provide coverage against hail. Refer to gaf.ca for more information on warranty coverage and restrictions.

² These blended colours are designed to complement your shingles, not to be an exact match. Because of the small size of these samples, it's difficult to reproduce the actual colour effect. Please be sure to see a full-size roll before making a final colour selection or installing on the roof.

**Built without
compromise**

Timberline HDZ[®] Shingles represent a legacy of relentless innovation

Delivering peak performance and dependability, our #1-selling shingle offers industry-first technologies and powerful warranties against wind and algae¹ to help gain the trust your business deserves. Because with Timberline HDZ[®] Shingles, our legacy is your peace of mind.

Visit gaf.ca/HDZ to learn more about our #1-selling shingle